

# citrus



- Improves rooting of nursery trees
- Stimulates root and shoot development after establishment
- Increases fruit set of bearing trees
- Increases fruit mass
- Increases yields
- Improves spring root flush
- Quicker recovery of trees after harvest




Kelpak, a natural plant nutrient extracted from freshly harvested *Ecklonia maxima* kelp, scientifically proven to increase the health, quality and yield in a wide variety of crops. **Kelpak, the global leader in cellular burst seaweed products for over thirty years**





**Kelpak on Satsuma – Japan**

3 x foliar sprays



**Summary of 5 citrus trials - South Africa**  
3 x foliar sprays – application rate 3 - 6 pts/Ac

TREATMENT	Fruits/tree (number)	Fruit mass (g/fruit)	Yield (lb/tree)	Increase (%)
CONTROL	390	130	99	-
KELPAK	400	140	115	+ 16%



KELPAK

**RECOMMENDED APPLICATION RATE**

**Established trees:** 3 qts/250 gal. Kelpak foliar spray applied at full bloom, and twice more with 2 to 3 week intervals for bigger fruit

**Post harvest spray** at 2 qts/250 gal. with nitrogen application and repeated 14 days later for recovery of heavy fruit bearing

**Tree establishment:** Apply approximately half a gallon of a 1 gal. Kelpak in 100 gal. water solution as a soil drench directly after plant or drench the nursery bag with the solution directly before plant-out

**For young tree development** apply foliar sprays of 2 qts. Kelpak in 250 gal. water with 3 to 4 week intervals

