


ornamental plants



- **Reduces transplant shock**
- **Improved root development**
- **Improved nutrient and moisture absorption**
- **Increase in foliar growth**
- **Greater resistance to disease and stress**
- **Longer flower stems**
- **Higher flower production**



Kelpak, a natural biostimulator extracted from freshly harvested *Ecklonia maxima* kelp, scientifically proven to increase the health, quality and yield in a wide variety of flowers. The global leader in auxin based seaweed products for over thirty years




DROP FOR DROP, THE MOST EFFECTIVE BIOSTIMULANT




Kelpak on Chrysanthemum

Increase above control (%)



Kelpak on Rose Production – Ecuador

Increase above control (%)



RECOMMENDED APPLICATION RATE

Flowering and Ornamental Plants

1:100 dilution Dip or wet seedling tray or seedling bags with solution before transplant.

1:400 dilution Spray 14 days after transplant and repeat 2 to 3 times at 21 to 28 day intervals.

Roses

New Planting

1:500 dilution Drench at 1 L per m² flower bed. Repeat drench 15 days later. Apply at 1:400 dilution as foliar spray 15 days after second drench.

Enclosed Production

1:500 dilution Drench at 1 L per m² flower bed after pinching. Repeat drench 15 days later. Apply at 1:400 dilution as foliar spray 15 days after second drench.

Open Production

1:400 dilution Apply as foliar spray. Repeat 14 days after first application. Repeat at 6 monthly intervals.